

INDEX MAPS.

T. 5 N., R. 2 E. 2nd Mer.

131	130	130	129	129	129	129						
132	6	152	5	147	4	143	3	140	2	136	1	128
152		151		146		143		139		136		
132	7	150	8	146	9	143	10	139	11	135	12	128
151		150		146		142		139		135		
132	18	150	17	145	16	142	15	138	14	135	13	128
150		149		145		142		138		134		
132	19	149	20	145	21	141	22	138	23	134	24	127
149		148		144		141		137		134		
131	30	148	29	144	28	141	27	137	26	133	25	127
148		147		144		140		137		133		
131	31	147	32	144	33	140	34	136	35	133	36	127
125		125-126		125-126		125-126		125-126		125-126		

T. 4 N., R. 2 E. 2nd Mer.

160	160-161	160-161	160-161	160-161	160-161	159-162						
164	6	182	5	178	4	175	3	173	2	171	1	159
183		182		179		175		173		171		
163	7	183	8	179	9	176	10	174	11	171	12	159
184		183		179		176		174		171		
163	18	184	17	180	16	177	15	174	14	172	13	158
185		184		182		177		174		172		
163	19	170	20	182	21	177	22	175	23	173	24	158
170		170		181		177		175		173		
162	30	170	29	181	28	178	27	167	26	165	25	158
169		169		180		178		168		166		
162	31	169	32	180	33	168	34	166	35	164	36	157
157		160		168		165		155		155		

Meanders 185

(*) The figures on the lines refer to the page.

155

Township N. 4 North, Range N. 2 East 2nd Mer. Indiana

South Boundary

West On the S. boundary of Sec. 36, T4 N. R2 E

40.00 left the q. sec. post, from which

a Beech 15 in. dia. bran N 67 W 30 deg. dist. 47

an Elm 24 " " N 70 E 31 "

80.00 set a post Cor. to Sec. 35 & 36, from which

a Hickory 5 in. dia. bran S 43 E 60 deg. dist. 47

an Ash 8 " " N 75 W 20 "

Broken land, timber Oak, Ash, Poplar, Hickory,
underbrush Spice etc.

West On S. boundary of Sec. 35, T4 N. R2 E

40.00 left the q. sec. post, from which

a Dogwood 5 in. dia. bran S 51 W 12 deg. dist. 47

a Hickory 6 " " N 76 E 23 "

80.00 set a post Cor. to Sec. 34 & 35, from which

a Beech 4 in. dia. bran S 72 W 30 deg. dist. 47

a Sugar 10 " " S 40 E 23 "

Land timber etc. same as on the last mile

West On S. boundary of Sec. 34, T4 N. R2 E

21.00 touched the N. side of a brook 20 ft. wide C. S. W.

24.00 the same brook 20 ft. wide C. S. W.

31.00 same 20 " " S. W.

34.00 same 20 " " N. W.

40.00 left the q. sec. post, from which

a Dogwood 6 in. dia. bran S 70 W 17 deg. dist. 47

a Beech 10 " " N 70 E 24 "

71.00 same brook Course S. W.

79.00 same brook " N. W.

80.00 set a post Cor. to Sec. 33 & 34, from which

a B. Walnut 40 in. dia. bran S 44 E 2 deg. dist. 47

a Locust 6 " " N 70 W 30

H.A. R.R. E. D. Mar. Indiana

Land timber &c. same as on the last mile

- West On S. boundary of Sec. 33, H.A. R.R. E.
 24.00 Set a post on the bank of W. River on the
 Indian boundary at intersection, from which
 an Elm 40 in. diam. bray N⁴² W²⁹ th. dist. of
 a Maple 8 " " N³⁵ E²³ " "
 31.95 to where the River turned N.W. Set a post at
 the crossing of the boundary, from which
 a Red Oak 6 in. diam. bray N⁴² W² th. dist. of
 a Hickory 8 " " N⁴⁴ W⁷ " "
 40.00 Set the qt. Sec. post, from which
 a Beech 40 in. diam. bray S³³ E²² th. dist. of
 a Redbud 8 " " N²² E¹¹ " "
 80.00 Set a post cor. to Sect. 32 & 33, from which
 a Hackberry 29 in. diam. bray N⁶⁷ E⁴ th. dist. of
 a Do 10 " " S⁵⁹ W¹⁹ $\frac{1}{2}$ " "
 This mile over level rich land.

- West On S. boundary of Sect. 32, H.A. R.R. E.
 1.00 Set a post on Indian boundary, or left bank of
 White River from which
 a yellowwood 30 in. diam. bray N⁸⁶ E²⁸ th. dist. of
 a Do 40 " " S⁶ E² " "
 Course of White river S⁷⁸ W.
 14.50 to White river C. N⁶⁸ W, Set a post at the
 intersection of the boundary, from which
 a Beech 10 in. diam. bray S⁷⁰ W²⁹ th. dist. of
 a Sugar 10 " " N⁷ W¹⁴ " "
 40.00 Set the qt. Sec. post, from which
 a Blue Ash 8 in. diam. bray N⁵⁵ E⁶ th. dist. of
 a Beech 10 " " S¹⁰ E²⁵ " "
 80.00 Set a post cor. to Sect. 31 & 32, from which

157

1/4 N RD E. I. Mer. Indiana

a Sugar 6 in. dia. bran N 69 E 21 lbs. dist. of
 a Do 7 " " N 19 E 8 " "
 Good farming land.

West	On S. boundary of Sec. 31, 1/4 N. 1/2 E.
8.00	a Creek 50 lbs. wide Course N.
40.00	Set the of. Sec. post, from which a Mulberry 8 in. dia. bran S 18 E 7 lbs. dist. of a Blackberry 8 " " N 18 W 30 " "
* 54.77	Set post on Indian boundary line, from which a Beech 10 in. dia. bran S 25 W 26 lbs. dist. of a Do 8 " " S 18 W 6 " . * Note The above corner is south of the true line.
75.16	to the Town Corner var. 5.45' E Over hilly land. Sept. 24, 1806.

East Boundary

North	On E. boundary of Sec. 36, 1/4 N. 1/2 E
12.50	a Creek 200 lbs. wide Course N.W.
23.00	Same 200 " " N.E.
25.00	a Beech 15 in. dia.
40.00	Set the of. Sec. post, from which a W. Oak 10 in. dia. bran N 84 W 8 lbs. dist. of a W. Oak 5 " " N 57 E 2 " "
48.50	Same Creek Course N.
55.00	to where it turned N.W.
64.00	Same Creek Course N.
68.00	to where it turned N.W.
80.00	Set a post Cor. to Sec. 35 & 36, from which a Beech 10 in. dia. bran N 88 W 26 lbs. dist. of a Dogwood 5 " " N 40 E 14 lbs. " Good land.

14 N 182 E, I. Mer. Indiana.

- North On E. boundary of Sec. 25, 14 N. 182 E
30.50 a W. Ash 24 in. dia.
40.00 Set the gr. Sec. post, from which
a Gum 20 in. dia. bears N 24° W 20 lly. dist. of
a Beech 8 " " " S 9 E 22 " "
75.00 at Brook 10 lly. wide C. I. N. E.
80.00 Set a post Cov. to Sec. 24 & 25, 14 N. 182 E, from which
a Sugar tree 10 in. dia. bears S 35 E 7 lly. dist. of
a Beech 40 " " " S 77 W 13 " "
This mile over rich broken land timber Sugar
and Poplar.
-

- North On E. boundary of Sec. 24, 14 N. 182 E.
00.06 a Sugar 12 in. dia.
40.00 Set the gr. Sec. post, from which
a W. Ash 140 in. dia. bears S 15 E 73 lly. dist. of
a Hackberry 5 " " " N 60 W 9 " "
43.56 Set a post on the Indian boundary on the bank
of White River at the intersection, from which
an Ironwood 10 in. dia. bears N 18 E 11 lly. dist. of
(var. 6.30.6) a Do 8 " " " S 53 E 13 " "
53.21 Set a post on the N.W. side of White River, from which
a Redbud 8 in. dia. bears S 15 W 77 lly. dist. of
a Locust 20 " " " N 8 E 24 " "
80.00 Set a post Cov. to Sec. 13 & 24, from which
a Hackberry 20 in. dia. bears South 43 lly. dist. of
an Elm 25 " " " S 58 W 73 " "
-

- North On E. boundary of Sec. 13, 14 N. 182 E.
30.00 a Beech 20 in. dia.
40.00 Set the gr. Sec. post, from which
a Beech 15 in. dia. bears S 59 W 48 lly. dist. of
an Elm 12 " " " S 76 W 16 " "

159

H.N. 182 E. 2^o Mer. Indiana

- 76.00 a Spring run 3 hrs. wide C.S.W.
80.00 Set a post Cor. to Sec. 12 & 13, from which
a Beech 8 in. dia. bran \$1297 10 lbs. dist. of
a do 8 " " " N 22 E 13 " "
Land rich and rolling, timber Poplar, Beech &c.
-

- North On E. boundary of Sec. 12, H.N. 182 E.
28.00 a Brook 4 hrs. wide C.S.W.
40.00 Set the q. Sec. post, from which
a Hickory 10 in. dia. bran \$837 28 lbs. dist. of
a Beech 8 " " " N 79 W 25 " "
46.00 a W. Oak 20 " "
71.50 a do 23 " "
80.00 Set a post Cor. to Sec. 1 & 12, from which
a W. Oak 15 in. dia. bran \$739 79 lbs. dist. of
an Ironwood " " " S 8 E 40 " "
Over hilly land, timber Oak & Hickory.
-

- North On E. boundary of Sec. 1, H.N. 182 E.
5.50 a Brook 10 hrs. wide C.S. W.
40.00 Set the q. Sec. post, from which
a Beech 8 in. dia. bran \$58 E 11 the. dist. of
a do 6 " " " N 75 W 4 " "
72.00 a Brook 12 hrs. wide C.S. W.
77.00 Same 12 " " " S.E.
80.00 Set a post Cor. to Town 4 & 5 N. Range 2 & 3 E.
from which a Beech 6 in. dia. bran \$349 77 lbs. dist. of
a Dogwood 6 " " " N 51 W 13 " "
Land timbered same very hilly.
-

- North Boundary
- West On Random between Town 4 & 5 N. 12 & 2 E.
40.00 Set temp. q. Sec. post

S. N. R.R. E. I. Ills. Indiana

80.00 Set tempf. Mile post.
Land hilly, timber Oak &c.

West 2nd mile on Rand. betw. Town 4 & 5 N. R.R.E.
40.00 Set tempf. 1/2 mile post
75.50 a Brook 75 lbs. wide Cr. South
80.00 Set tempf. Mile post
(Description Omitted)

West 3rd mile on Rand. between Town 4 & 5 N. R.R.E.
40.00 Set tempf. 1/2 mile post
60.00 a Spring run 6 lbs. wide Cr. S.
80.00 Set tempf. Mile post
Good farming land, timber same

West 4th mile on Rand. betw. Town 4 & 5 N. R.R.E.
40.00 Set tempf. 1/2 mile post
80.00 Set tempf. Mile post
(Description Omitted)

West 5th mile on Rand. betw. Town 4 & 5 N. R.R.E.
9.00 a Creek 100 lbs. wide Cr. South
40.00 Set tempf. q. Sec. post
80.00 Set tempf. Mile post
Land the same timber Oak, Beech, Poplar &c.

West 6th mile on Rand. betw. Town 4 & 5 N. R.R.E.
40.00 Set tempf. 1/2 mile post
71.25 fall South of Town corner this mile over very
rich farming land, timber same, under ^{the} Spice

East On true line S. boundary Sec. 31, T. 5 N. R.R.E. R. 6. 10. E.
31.25 Set the q. Sec. post on true line, from which

161

S. N. R.R. E. I. Mer. Indiana

a Sugar 10 in. dia. bran N 59 E 17 lk^s. dist. of
a Beech 6 " " S 12 E 23 " "

71.25 Set a post Cor. to Sec. 31 & 32, T 5 N. R 2 E, from which
a Beech 12 in. dia. bran N 75 E 17 lk^s. dist. of
a Do 10 " " N 39 W 25 " "

East On true line S. boundary of Sec. 32, T 5 N. R 2 E.
40.00 Set the q. Sec. post, on true line, from which
a Beech 10 in. dia. bran N 24 W 1 link dist. of
a Do 12 " " S 24 E 26 lk^s. "

80.00 Set a post Cor. to Sec. 32 & 33, T 5 N. R 2 E, from which
a W. Oak 10 in. dia. bran S 81 E 28 lk^s. dist. of
a P. Oak 20 " " S 70 W 11 " "

East On true line S. boundary of Sec. 33, T 5 N. R 2 E.
40.00 Set the q. Sec. post, on true line, from which
a Hickory 10 in. dia. bran N 86 E 12 lk^s. dist. of
a W. Oak 12 " " S 12 E 22 " "

80.00 Set a post Cor. to Sec. 33 & 34, T 5 N. R 2 E, from which
a Beech 10 in. dia. bran N 23 E 4 lk^s. dist. of
a Do 8 " " S 79 W 20 " "

East On true line S. boundary of Sec. 34, T 5 N. R 2 E.
40.00 Set the q. Sec. post, on true line, from which
a Beech 20 in. dia. bran S 84 E 24 lk^s. dist. of
a Dogwood 8 " " N 68 W 22 " "

80.00 Set a post Cor. to Sec. 34 & 35, T 5 N. R 2 E, from which
a Sugar 10 in. dia. bran N 64 E 10 lk^s. dist. of
a Buckeye 12 " " S 67 W 6 " "

East On true line S. boundary of Sec. 35, T 5 N. R 2 E.
40.00 Set the q. Sec. post, on true line, from which
a Dogwood 6 in. dia. bran N 13 W 8 lk^s. dist. of

S^t N R^d E. 2nd Mer. Indiana

- a Beech 6 in. dia. bran N 83° W 15 lbs. dist.
 80.00 Set a post cor. to Sec. 35 & 36, T^d 5 N, R^d 2 E, from which
 a Beech 6 in. dia. bran N 57° E 27 lbs. dist. of
 a P. Walnut 12 " " " S 30 E 9 " .
-

- East On true line S. boundary of Sec. 36, T^d 5 N, R^d 2 E,
 40.00 Set the q. Sec. post on true line from which
 a W. Oak 12 in. dia. bran N 21° W 7 lbs. dist. of
 a Dogwood 5 " " " N 80 E 43 " "
 80.00 to the Town Corner.
-

West Boundary var. 7.30° E.

- North On E. boundary of Sec. 36, T^d 4 N, R^d 1 E.
 25.00 a Brook 15 lbs. wide Q. S. N. E.
 35.00 a do 30 " " " West
 40.00 Set the q. Sec. post, from which
 a Beech 10 in. dia. bran S 40 E 23 lbs. dist. of
 a Sugar 6 " " " S 15° W 18 " "
 51.00 a Elm Oak 20 in. dia.
 80.00 Set a post cor. to Sec. 25 & 36, T^d 4 N, R^d 1 E, from which
 a Beech 10 in. dia. bran N 53° E 41 lbs. dist. of
 a do 20 " " " S 13 E 30 " "
 Over Good land, timber Beech &c.
-

North On E. boundary of Sec. 25, T^d 4 N, R^d 1 E.

- 40.00 Set the q. Sec. post, from which
 a Sugar 10 in. dia. bran ^{55° E} 12 lbs. dist. of
 a W. Oak 15 " " " S 85° W 16 lbs. dist.
 on the River bank
 80.00 Set a post cor. to Sec. 24 & 25, T^d 4 N, R^d 1 E, from which
 a Hackberry 12 in. dia. bran N 45° W 21 lbs. dist. of
 a do 10 " " " N 15 E 21 " "
 Over very hilly Land, timber the same
-

163

~~163~~
Hart Rd E. I. Mer. Indiana

- North On E. boundary of Sec. 24, T₄N. R₁E.
- 81.50 Set a post on the N.W. side of White River, from which a B. Walnut 12 in. dia. bran S₃₁E₁₅ lbs. dist. of a do 10 " " N₈₃W₁₉ lbs. "
- 35.00 a Spring St.
- 40.00 At the q. Sec. post, from which a Beech 6 in. dia. bran S₅₃E₁₆ lbs. dist. of a do 8 " " West 3 " "
- 80.00 Set a post Cor. to Sec. 13 & 24, T₄N. R₁E, from which a Sugar 8 in. dia. bran N₂₅W₉ lbs. dist. of a do 6 " " S₂₅E₁₉ " "
- Good farming land, timber Sugar, Beech & Ash
-

North On E. boundary of Sec. 13, T₄N. R₁E.

- 40.00 Set the q. Sec. post, from which a Lymn 7 in. dia. bran N₆₃E₉ lbs. dist. of a Sugar 6 " " N₈₄W₁₉ " "
- 58.50 a Brook 100 lbs. wide Cr. N. a few links below the fork
- 80.00 Set a post Cor. to Sec. 12 & 13, T₄N. R₁E, from which a Beech 10 in. dia. bran N₄₂E₁₁ lbs. dist. of a do 20 " " N₈₂E₂₄ " "
- (Description Omitted)
-

North On E. boundary of Sec. 12, T₄N. R₁E.

- 32.50 Same brook 150 lbs. wide
- 40.00 Set the q. Sec. post on brook, no bearings
- 50.00 Same brook turned its course N.W.
- 55.00 a Buckeye 30 in. dia.
- 80.00 Set a post Cor. to Sec. 1 of 12, T₄N. R₁E, from which a Beech 18 in. dia. bran S₅₀E₁₅ lbs. dist. of a _____ N₃₁E₉ " "
- Land Good, timber Beech, Elm, Ash & Oak &c.
-

H. N. R. D. E. I. M. ev. Indiana

North On E. boundary of Sec. 1, T. 4 N. R. 2 E.

40.00 Set the q. Sec. post, from which
a Beech 6 in. diam. bran S 84° 7' 24" N. dist. of
a Sugar 6 " " " 149° 7' 9" "

59.80 a Brook 10 lks. wide C. S. W.

80.00 Set a post Cov. to Town 4 & 5 N. R. 2 E. from
which a Beech 6 in. diam. bran S 47° 8' 13" N. dist. of
a Sugar 12 " " " 175° 4' 8" "

Good farming land, timber Poplar, Sugar &c.

Subdivision.

North Between Sec. 35 & 36, H. N. R. 2 E.

31.54 a Beech 20 in. diam.

40.00 Set a q. Sec. post from which
a Beech 10 in. diam. bran S 10° E 48° N. dist. of
a llo 12 " " " N 5° E 12" "

59.40 a Beech 20. .

61.50 a Brook 10 lks. wide C. S. E.

70.00 Same 10 " " " N.W.

74.15 a Brook 10 lks. " " West

80.00 Set a post Cov. to Sec. 25, 26, 35 & 36, from which
a Beech 20 in. diam. bran S 1 E 46° N. dist. of
a llo 10 " " " — " "

(Description Omitted)

East On Random between Sec. 25 & 36

8.50 a Brook 10 lks. wide C. S. W.

18.50 Same 10 " " " N.W.

40.00 Set tempy. q. Sec. post

79.89 Intersected the E. boundary 20 lks. N. of Sec.
Corner. Land level timber Beech.

West On true line between Sec. 25 & 36, H. N. R. 2 E.

165
N. R. 2 E. I. Mer. Indiana

39. 84 ft. q. Sec. post at avg. dist. on true line, from which
a Beech 12 in. diam. bran N 3 E 24 lbs. dist. of
a W. Oak 15 " " N 75 W 5 "

79. 89 Sec. Corner

North Between Sec. 25 & 26, T 4 N. R 2 E.

2.00 a Brook 100 lbs. wide C. S. N. E.

4.10 a Poplar 24 in. diam.

8.50 Same Brook C. S. N. E.

40.00 Set the q. Sec. post, from which
a Hickory 10 in. diam. bran S 84 W 8 lbs. dist. of
a do 12 " " S 10 E 10 "

80.00 Set a post Cor. to Sec. 23, 24, 25, 26, from which
a Beech 40 in. diam. bran N 42 E 27 lbs. dist. of
an Elm 8 " " S 15 W 9 "

First $\frac{1}{2}$ mile over hilly oak & hickory timbered
land - last $\frac{1}{2}$ mile over good farming level land.

East On Random between Sec. 24 & 25, T 4 N. R 2 E.

15.00 a Spring run 3 lbs. wide C. S. N.

37.00 Same 3 " " " S. W.

40.00 Set temp. q. Sec. post

46.00 Spring Course N. E.

53.50 a spring run 8 lbs. wide Course N.

79.40 Intersected the E. boundary 57 lbs. N. of corner.

Land level, timbered Beech, Sycamore & Hickory

West On true line between Sec. 24 & 25, T 4 N. R 2 E.

39.70 Set q. Sec. post at avg. dist. on true line, from which
a Hickory 15 in. diam. bran N 41 E 16 lbs. dist. of
a Beech 20 " " S 69 E 21 "

79.40 to Sec. Corner.

Lat. N. R.R. E. I. Mer. Indiana

North Between Sec. 33 & 34, T⁴N. R²²E. I.² Mer.

24.63 Set a post on the left bank of N. River and the Indian boundary, from which
a K. Walnut 10 in. diam. bran 118' 28" lvs. dist. of
a Redbud 6 " " 158' 11" 5 " "
Land level & rich

North Between Sec. 34 & 35, T⁴N. R²²E. I.² Mer.

24.00 at Brook 100 ft. wide C.S. H.

40.00 Set the qt. Sec. post, from which
a Walnut 15 in. diam. bran 185' 21" lvs. dist. of
a Poplar 18 " " 135' 28 " "

80.00 Set a post Cor. to Sect. 26, 27, 34 & 35, from which
a Beech 24 in. diam. bran 172' 03" lvs. dist. of
a Gum 20 " " 160' 5 " "

Poor rolling land.

East On Random between Sect. 26 & 35

35.00 at Brook 100 ft. wide C.S. H.

40.00 Set temp. qt. Sec. post

44.00 Same brook 100 ft. wide C.S. H.

63.00 Same 100 " " S.W.

68.00 Same 100 " " S.W.

74.00 Same 100 " " N.W.

80.30 intersected the N.Y.S. line 5 ft. S. of the corner.
Land rich.

West On true line between Sect. 26 & 35, T⁴N. R²²E.

40.15 Set the qt. Sec. post at avg. dist. from which
a Beech 10 in. diam. bran 157' 8 1/4" lvs. dist. of
a Beech 6 " " 145' 11" 3 " "

80.30 to Sec. corner.

167

Hgt. R.R. E. I. Mer. Indiana

North Between Sec. 26 & 27, Hgt. R.R. E. I. Mer.
3.80 a St. Ash 20 in. dia. /
40.00 Set the q. Sec. post, from which
a Sugar 10 in. dia. bran N 20 W 10 lvs. dist. of
a Beech 10 " " N 73 W 5 " "
41.20 a P. Walnut 20 in. dia.
80.00 Set a post Cor. to Sec. 26, 27, 22 & 23, from which
a Beech 6 in. dia. bran North 11 lvs. dist. of
a Dogwood 7 " " S 58 E 10 " "
This mile over rich rolling land

East On Random between Sec. 23 & 26, Hgt. R.R.E.
8.50 a Brook 10 lvs. wide Course N.
40.00 Set temp. q. Sec. post
57.63 a Brook 10 lvs. wide C. S. North
80.00 Intersected the N & S. line at the Sec. Corner
Land level & rich, timber Beech, Hickory, Locust
and Walnut.

West On true line between Sec. 23 & 26
40.00 Set q. Sec. post at adj. dist. on true line, from which
a Hickory 10 in. dia. bran N 60 E 29 lvs. dist. of
a Hackberry 24 " " N 48 W 13 " "
80.00 to Sec. Corner.

North Between Sec. 22 & 23, Hgt. R.R. E.
21.50 Set a post on the bank of White R. from which
a Cottonwood 6 in. dia. bran S 38 E 10 lvs. dist. of
a Maple 6 " " - N 49 W 16 " "
Land flat.

West Between Sec. 22 & 27, Hgt. R.R. E.
30.00 to River bottom

L. & R. R. E. I. Mer. Indiana

- 40.00 Set the q. Sec. post, from which
a Hickory 15 in. dia. bran N 73° W 77° dist. of
a D. Walnut 12 " " N 86° E 32 " .
41.57 Set a post on the Bank of White River, from which
a Locust 10 in. dia. bran N 72° E 22° dist. of
a D. Walnut 6 " " S 9° E 16 " ".
This line over rich land, Timber, Beech, Hick.
Hackberry & Walnut, underg. Spice wood &c.
November 10, 1806.

West Between Sec. 27 & 34, T 4 N. R 2 E.

- 40.00 Set the q. Sec. post, from which
a Beech 20 in. dia. bran S 34° W 19° dist. of
a Dogwood 7 " " N 54° W 20 " ".
43.00 a Spring run 3 ltrs. wide C. S. N. W.
45.25 Same run 3 " " S. W.
72.00 Set a post on the Left bank of White R, from which
a Sycamore 20 in. dia. bran N 23° W 27° dist. of
a Do 30 " " S 5° W 38 " ".
Land Broken.

North Between Sec. 33 & 34, T 4 N. R 2 E.

- 1.00 a Hickory 20 in. dia.
5.00 a Brook 40 ltrs. wide C. S. N. W.
39.00 To an Elm 12 in. dia. at the intersection
of the boundary on the bank of the River
This line over very rich level land, timber
Ash, Oak & Hackberry, underg. Spice wood

North Between Sec. 32 & 33, T 4 N. R 2 E.

- 3.25 a Sycamore 20 in. dia.
3.77 Set a post on the bank of W. River, from which
a Maple 7 in. dia. bran N 36° E. 6 ltrs. dist. of

169

1/4 N R 2 E. I. Mer. Indiana

a Maple 8 in. dia. bran. \$51 11/2 lbs. dist. 1/2
Land timber &c. same as on the last mile.

North Between Sec. 31 & 32, 1/4 N. R 2 E.

10.25 a W. Oak 20 in. dia.

35.00 Set a post on the Indian boundary, from
which a Beech 20 in. dia. bran. \$7 E 25 lbs. dist. 1/2
an Elm 8 " " " \$48 9/14 " "
Broken rich land, timber Sugar & Beech
November 18th 1806.

40.00 Set the qd. Sec. post, from which
a Beech 6 in. dia. bran. \$5 E 36 lbs. dist. 1/2
a Poplar 9 " " " \$49 E 10 " "

47.00 a Beech 10 in. dia.

80.00 Set a post Cor. to Sec. 29, 30, 31 & 32, from which
a Beech 20 in. dia. bran. \$54 11/24 lbs. dist. 1/2
a Do 10 " " " \$28 E 22 " "
Land hilly, timber Beech, Poplar, Ash & Sugar.

West Between Sec. 30 & 31, 1/4 N. R 2 E.

40.00 Set the qd. Sec. post, from which
a Beech 12 in. dia. bran. \$36 9/123 lbs. dist. 1/2
a Do 7 " " " \$79 9/321 " "

75.90 Intersected the W. boundary 98 lbs. S. of the cor.
Set a post Cor. to Sec. 30 & 31, from which
an Ironwood 8 in. dia. bran. \$29 E 16 lbs. dist. 1/2
a Sugar 8 " " " \$52 E 25 " "
Land, timber &c. same as on the last mile

East Between Sec. 29 & 32, 1/4 N. R 2 E.

17.15 a Hickory 20 in. dia.

31.50 Set a post on the left bank of W. River from which
a Beech 24 in. dia. bran. \$82 9/131 lbs. dist. 1/2

Holt R.R. Co. Ind.

a W. Walnut 12 in. dia. bran 183 E 10 lvs. dist.
Land, timber &c. same as on the last mile

North Between Sec. 29 & 30, Holt R.R. Co.

10.00 a Brook 5 lvs. wide C.S. E.

40.00 Set the qt. Sec. post, from which

a Beech 12 in. dia. bran 199 E 18 lvs. dist. of
a Sugar 7 " " " N 68 14 " "

68.50 a Sugar 18 " "

80.00 Set a post Cor. to Sec. 19, 20, 29 & 30, from which

a Beech 10 in. dia. bran 170 E 21 lvs. dist. of
a Do 12 " " " N 3 E 30 " "

Land timber &c. same as on the last mile

East Between Sec. 20 & 29, Holt R.R. Co.

40.00 Set the qt. Sec. post, from which

a Hackberry 6 in. dia. bran 158 E 7 lvs. dist. of
a W. Walnut 12 " " " N 58 E 17 " "

46.30 a W. Ash 14 in. dia. corner on the River.

Land timber &c. same as on the last mile

North Between Sec. 19 & 20, Holt R.R. Co.

40.00 Set the qt. Sec. post, from which

a Beech 12 in. dia. bran 183 E 36 lvs. dist. of
a Hickory 8 " " " South 5 " "

56.65 Set a post on the left bank of White R. from which

an Ironwood 8 in. dia. bran 179 E 4 lvs. dist. of
a Do 9 " " " N 78 E 34 " "

Land ditch.

West Between Sec. 19 & 30, Holt R.R. Co.

3.00 a Spring run 5 lvs. wide C.S. N.W.

15.80 a Beech 20 in. dia.

171

Sec. R.R. E. & W. Mer. Indiana

- 40.00 Set the q. Sec. post, from which
a Beech 7 in. dia. bran \$84 E 20 lks. dist. of
a Do - " " " N 11 E 24 " "
77.81 Intersected the W. boundary at the corner.
Land level, timber Hackberry, ash, Walnut & Locust. Con-

South Between Sec. 14 & 2, Sec. R.R. E.

- 15.00 a Poplar 24 in. dia.
40.00 Set the q. Sec. post, from which
a Beech 6 in. dia. bran North 2 lks. dist.
80.00 Set a post Cor. to Sec. 1, 2, 11 & 10, from which
a Dogwood 6 in. dia. bran N 16 E 5 lks. dist. of
a Beech 18 " " \$18 E 32 " "
Over very hilly land, timb. Oak, hickory & some Chestnut.

East On Random between Sec. 14 & 10, Sec. R.R. E.

- 40.00 Set temp. q. Sec. post,
48.50 a Brook 19 lks. wide Cr. South
80.25 Intersected the E. boundary 10 lks. S. of the corner.
Land, timber &c. same as on the last mile

West On true line between Sec. 14 & 12, Sec. R.R. E.

- 40.10 $\frac{1}{2}$ set q. Sec. post at avg. dist. on the true line, from
which an Ironw. 6 in. dia. bran \$80 W 32 lks. dist.
of a Beech 20 " " \$33 W 22 " "
80.25 to Sec. Corner.

South Between Sec. 14 & 10, Sec. R.R. E.

- 40.00 Set the q. Sec. post, from which
a W. Oak 15 in. dia. bran N 7 E 26 lks. dist. of
a Dogw. 7 " " \$25 W 7 " "
This post stands on the river bottom at the foot of a hill
80.00 Set a post Cor. to Sec. 11, 12, 13 & 14, from which

St. R.R. E. I., Mer. Indiana

a Beech 10 in. dia. bran N 59° W 39' dist. 1/8
 a Do 10 " " N 45° E 16 " "
 Land level, timber Beech, Poplar &c.

East On Random between Sect. 12 & 13, St. R.R. E.
 40.00 Set tempy of Sec. post
 48.60 a Brook 20 ltrs. wide Cr. South
 80.45 Intersected the E. boundary 35 ltrs. S. of post
 Land, timber &c. same as on the last mile

West On true line between Sect. 12 & 13, St. R.R. E.
 40.22 1/2 set of Sec. post, from which
 a Beech 15 in. dia. bran N 18° E 7 ltrs. dist. 1/8
 a Do 20 " " N 69° W 34 " "
 80.45 to Sec. corner.

South Between Sect. 13 & 14, St. R.R. E.
 8.22 a Brook 25 ltrs. wide Cr. S. of
 40.00 Set the of Sec. post, from which
 a Beech 10 in. dia. bran N 44° E 19 ltrs. dist. 1/8
 a Do 10 " " N 44° W 10 " "
 80.00 Set a post corner to Sect. 13, 14, 23 & 24, from which
 a Mulberry 20 in. dia. bran N 19° W 48 ltrs. dist. 1/8
 an Ironwood 8 " " N 5° E 30 " "
 Land timber &c. same as on the last mile

East On Random between Sect. 13 & 24, St. R.R. E.
 40.00 Set tempy. of Sec. post
 80.95 Intersected the E. boundary 60 ltrs. S. of post
 Land rich and level.

West On true line between Sect. 13 & 24
 40.47 1/2 set of Sec. post at avg. dist. from which

173

St. R.R. E. I. Mer. Indiana

a Hackberry 18 in. dia. bran \$21 & 16 lbs. dist. of
a Do 10 " " N65E29 " "
80.95 to Sec. corner.

South Between Sec. 23 & 24, St. R.R. E.
1.50 a Brook 25 lbs. wide C.S.E.
18.24 to a Hickory 15 in. dia. corner on the River
Bank. Land, timber &c. same as last mile

South Between Sec. 25 & 3, St. R.R. E.
14.75 a Brook 75 lbs. wide C.S. W.
40.00 at the q. Sec. post, from which
a Poplar 40 in. dia. bran \$11 & 20 lbs. dist. of
a Beech 10 " " N40E31 " "
57.00 a Brook 10 lbs. wide C.S. West
66.25 a Sugar 28 in. dia.
80.00 at a post Cor. to Sec. 2, 3, 10 & 11, from which
a Poplar 38 in. dia. bran \$30 & 3 lbs. dist. of
a Mulberry 8 " " S76E6 " "
Good land, timber Walnut, ash &c

East On Random between Sec. 2 & 11, St. R.R. E.
13.50 a Brook 10 lbs. wide C.S. W.
40.00 at temp. q. Sec. post
80.00 intersected two N.H. S. line at the corner.
Land, timber &c. same as on the last mile

West On true line between Sec. 2 & 11
40.00 set q. Sec. post at av. dist. on true line, from which
a Beech 20 in. dia. bran N87W128 lbs. dist. of
a Do 20 " " S45E19 " "
80.00 to Sec. corner.

44 N R 2 E. 2nd Mer. Indiana

South Between Sec. 10 & 11, 44 N. R. 2 E.
40.00 At the q. Sec. post, from which
a Beech 10 in. dia. bran \$33 97 13 lbs. dist. of
a Dogwood 6 " " 119 97 28 " "
80.00 Set a post cor. to Sec. 10, 11, 14 & 15, from which
a Beech 10 in. dia. bran \$44 97 25 lbs. dist. of
a Sugar 18 " " 124 87 20 " "
Land hilly timber the same

East On Random between Sec. 11 & 14, 44 N. R. 2 E.
40.00 At temp. q. Sec. post
80.10 Intersected the N & S. line 10 lbs. S. of the post
Land, timber &c. same as on the last mile

West On true line between Sec. 11 & 14, 44 N. R. 2 E.
40.05 At the q. Sec. post at ave. dist. on true line from
which a Sugar 10 in. dia. bran \$65 87 14 lbs. dist.
of a Gum 10 " " 151 97 20 " "
80.10 to the Sec. corner.

South Between Sec. 14 & 15, 44 N. R. 2 E.
23.00 at Brook 10 lbs. wide Cr. S. W.
40.00 At the q. Sec. post, from which
a Beech 10 in. dia. bran \$34 97 13 lbs. dist. of
a Sugar 10 " " ~~\$34 97 13~~ " "
72.40 a W. Ash 20 " "
80.00 Set a post cor. to Sec. 14, 15, 22 & 23, from which
a W. Ash 10 in. dia. bran \$69 87 11 lbs. dist. of
a Walnut 10 " " 115 97 17 " "
Land timber &c. same as on the last mile

East On Random between Sec. 14 & 23, 44 N. R. 2 E
20.00 at Brook 10 lbs. wide Cr. South

#7

175

Hgt R.R.E. I^o. Mer. Indiana

- 40.00 Set tempf. of Sec. post
 72.00 a Brook 75 lbs. wide Cr. S. E.
 80.85 Intersected the N. & S. line 10 lbs. S. of the cor.
 Land level on the last $\frac{1}{2}$ mile & rich.
-

- West On true line between Sec. 14 & 23, T⁴N. R²E.
 40.42 Set q. Sec. post on true line at av. dist. from which
 a Sugar 20 in. dia. bran 165 ft 10 lbs. dist. of
 a Do 18 " " " 182 E 12 " .
 80.85 to Sec. Cor.
-

- South Between Sec. 24 & 23, T⁴N. R²E.
 40.00 Set the q. Sec. post, from which
 a Hickory 20 in. dia. bran 172 ft 19 lbs. dist. of
 a Mulberry 10 " " " 114 E 50 " .
 49.50 a Sycamore 40 in. dia.
 50.76 Set a post on the River bank, from which
 a Sycamore 30 in. dia. bran 174 ft 16 lbs. dist. of
 a Hackberry 6 " " " 164 ft 16 " .
 Land rich & level, timber Ash, Oak, hickory &c.
-

- South Between Sec. 3 & 4, T⁴N. R²E.
 40.00 Set the q. Sec. post, from which
 an Ironwood 6 in. dia. bran 152 ft 9 lbs. dist. of
 a Beech 8 " " " 113 ft 22 " .
 78.00 a Brook 75 lbs. wide Cr. S. E.
 80.00 Set a post cor. to Sec. 3, 4, 9, 10, on a very steep hill
 side from which
 an Ironwood 6 in. dia. bran 132 ft 10 lbs. dist. of
 a Do 4 " " " 164 ft 12 " .
 Land hilly, timber Oak, Beech, Ash, hickory &c.
-

- East On Random between Sec. 3 & 10, T⁴N. R²E.

H. N. R. I. E. I. Mer. Indiana

40.00 Set the q. Sec. post temporary
 80.00 intersected the N. S. line 15 lk. S. of the cor.
 Land timber &c. same as on the last mile.

West On true line between Sec. 3 & 10, T4 N. R2 E.
 40.00 Set q. Sec. post at a sq. dist. from which
 a Beech 10 in. dia. bran 179 ft 12 lk. dist. of
 a Dogwood 6 " " " 184 ft 15 " "
 80.00 to Sec. corner.

South Between Sec. 9 & 10, T4 N. R2 E.

40.00 Set the q. Sec. post, from which
 a W. Oak 20 in. dia. bran 177 ft 11 lk. dist. of
 a Hickory 10 " " " N62W19 " "
 80.00 Set a post cor. to Sec. 9, 10, 15 & 16, from which
 a Maple 18 in. dia. bran 184 ft 20 lk. dist. of
 a Beech 12 " " " 172 ft 32 " "
 Land very hilly

East On Random between Sec. 10 & 15, T4 N. R2 E.
 3.00 at Brook 10 lk. wide E. S. E.
 15.00 a do 10 " " " South
 40.00 Set tempy. q. Sec. post
 70.75 a Brook 10 lk. wide E. S. South
 80.00 intersected the N. S. line 8 lk. S. of the corner.
 (Description of the land & timber omitted)

West Connected between Sec. 10 & 15, T4 N. R2 E.
 40.00 Set q. Sec. post at a sq. dist. on true line, from which
 a Beech 10 in. dia. bran N4W5 lk. dist. of
 a do 10 " " " 157 ft 16 " "
 80.00 to Sec. corner.

171

H. N. RR E. I. Mer. Indiana

South Between Sec. 15 & 16, H. N. RR E.

11.80 at Beech 24 in. dia.

40.00 Set two qt. Sec. post, from which
at Beech 10 in. dia. bran N 39° W 16 lbs. dist. of
a Do 9 " " " N 15° W 22 "

80.00 Set a post cor. to Sec. 15, 16, 21 & 22, from which
at Beech 10 in. dia. bran S 77° W 17 lbs. dist. of
a Sugar 10 " " " N 62° E 7 "

Good farming land, timber the same, undg. species.

East On Random between Sec. 15 & 22, H. N. RR E.

40.00 Set temp. qt. Sec. post

57.25 a Brook 18 lbs. wide C. S. South

80.95 Intersected the M. & S. line 10 lbs. S. of the corner.
Land, timber &c. same as on the last mile

West On true line between Sec. 15 & 22, H. N. RR E.

40.47 $\frac{1}{2}$ Set qt. Sec. post, at av. dist. on true line from which
at Beech 20 in. dia. bran S 69° W 25 lbs. dist. of
a Do 7 " " " N 24° E 3 "

80.95 to Sec. cor.

South Between Sec. 21 & 22, H. N. RR E.

40.00 Set two qt. Sec. post, from which
a Maple 20 in. dia. bran N 22° E 15 lbs. dist. of
an Ironw. 8 " " " S 86° W 9 "

80.00 Set a post cor. to Sec. 21, 22, 27, 28, from which
an Ash 14 in. dia. bran S 20° W 39 lbs. dist. of
a Beech 20 " " " S 80° E 16 "

Land level & high, timber the same.

East Between Sec. 22 & 27, H. N. RR E.

36.67 Set a post on the river bank, from which

St. N RD E. 2^d. Mer. Indiana

a Hickory 10 in. dia. bran N 13° 9' 5" lon. dist. of
 a Slo 6 " " " S 55° 8' 16" "
 Land timber &c. same as on the last mile

South Between Sec. 27 & 28, T 4 N. R 2 E.

25.00 a Pond 5 ch. E 4 M.

40.00 At the q. Sec. post, from which
 a W. Oak 12 in. dia. bran S 18° 8' 9" lon. dist. of
 a Hickory 10 " " " N 69° 9' 9" "

42.50 an Elm 10 " "

80.00 At a post Cor. to. Sec. 27, 28, 33 & 34, from which
 a Hickory 10 in. dia. bran S 26° 20' 11" lon. dist. of
 an Ironwood 6 " " " N 89° 17" "

Land timber &c. same as on the last mile.

East Between Sec. 27 & 34, T 4 N. R 2 E.

6.72 At a post on the River bank, from which
 a Boxelder 12 in. dia. bran S 21° 6' 11" lon. dist. of
 an Ironwood 6 " " " N 14° 9' 5" "

Land timber &c. same as on the last mile

South Between Sec. 33 & 34, T 4 N. R 2 E.

8.00 a Beech 20 in. dia. bran

35.74 At a post on the River bank from which
 a Cottonwood 8 in. dia. bran S 72° 6' 6" lon. dist. of
 Land timber &c. same as on the last mile

South Between Sec. 4 & 5, T 4 N. R 2 E. 2^d. Mer.

4.50 a Brook 10 ft. wide C. 9"

34.00 a Slo 8 " " off

40.00 At the q. Sec. post, from which
 a Chestnut 18 in. dia. bran N 50° 47' 2" lon. dist. of
 a Beech 6 " " " S 42° W 4" "

#7

179

H. N. R.R. Co., Mer. Indiana

50.25 a W. Oak 11 in. diam.

80.00 Set a post cor. to Sect. 4, 5, 8 & 9, from which
a Beech 12 in. diam. bears N 71° W 2 miles dist. of
a W. Ash 12 " " " N 42° E 25 " "
Land very hilly, timber the same.

East On Random between Sect. 4 & 9, H. N. R.R. Co.

40.00 Set temp. q. sec. post

60.00 a Brook 75 lbs. wide Cr. S. W.

80.00 Intersected the N.Y.S. line 12 lbs. S. of corner
Land timber &c. same as on the last mile

West On true line between Sect. 4 & 9, H. N. R.R. Co.

40.00 Set q. sec. post at adj. dist. on true line, from which
a Beech 10 in. diam. bears N 68° W 29 lbs. dist. of
a sugar 10 " " " N 44° E 25 " "

80.00 to Sec. corner.

South Between Sect. 8 & 9, H. N. R.R. Co.

40.00 Set the q. sec. post, from which
a W. Oak 18 in. diam. bears S 38° E 13 lbs. dist. of
a loc 9 " " " N 61° W 17 " "

80.00 Set a post cor. to Sect. 8, 9, 16 & 17, from which
a Beech 20 in. diam. bears S 53° W 9 lbs. dist. of
a loc 12 " " " N 18° W 26 " "

Land timber &c. same as on the last mile

East On Random between Sect. 9 & 16, H. N. R.R. Co.

7.50 a Brook 75 lbs. wide Cr. S.

40.00 Set temp. q. sec. post,

80.00 Intersected the N.Y.S. line 12 lbs. S. of the cor.
Land timber &c. same as on the last mile.

St. N R.R. E. D. Mer. Indiana

West On true line between Sec. 9 & 16
 40.00 Set the q. Sec. post at av. dist. from which
 a Hickory 10 in. diam. bran N 22 W 17 ft. dist. of
 a Maple 12 " " N 17 W 23 " "
 80.00 to Sec. Corner.

South Between Sec. 16 & 17, St. N. R.R. E.

13.00 at Brook 100 ft. wide Cr. S. off.
 40.00 Set the q. Sec. post, from which
 a W. Oak 10 in. diam. bran S 26 E 5 ft. dist. of
 a Do 9 " " N 7 W 24 " "
 57.10 an Ash 24 " .
 70.50 Set a post on the River bank, from which
 a Box Elder 12 in. diam. bran N 70 E 24 ft. dist. of
 a P. Walnut 10 " " N 80 W 23 " "
 Land &c. same hilly

West Between Sec. 28 & 33, St. N. R.R. E.

40.00 in a pond 4 chains wide (no bearings)
 80.00 Set a post cor. to Sec. 28, 29, 30 & 33, from which
 a Dogwood 7 in. diam. bran S 10 E 8 ft. dist. of
 a Beech 28 " " N 78 W 31 " "
 Land hilly & rich, timber Oak, Hickory & Beech

West Between Sec. 29 & 32, St. N. R.R. E.

30.21 Set a post on the River bank, from which
 a Sugar 8 in. diam. bran S 8 W 13 ft. dist. of
 a Do 10 " " N 69 W 12 " "
 Land timber &c. same as on the last mile

South Between Sec. 32 & 33, St. N. R.R. E.

14.50 a Brook 100 ft. wide Cr. S. off.
 40.00 Set the q. Sec. post, from which

181

~~181~~

H. N. R. I. E. I. Mer. Indiana

- a _____ 6 m. dia. bran S 53° W 28 lbs. dist. of
 a slo 6 " " " S 34° W 32 " "
 66.82 Set a post on the River bank, from which
 a Walnut 20 m. dia. bran South Wink.
 Land, timber &c. same as on the last mile.
-

North Between Sec. 28 & 29, T 4 N. R 2 E.

- 26.50 a Brook 10 lbs. wide N. E. West
 40.00 Set the q. of. Sec. post. from which
 a Beech 6 m. dia. bran N 44° E 3 lbs. dist. of
 a Sugar 10 " " " N 60° W 27 " "
 80.00 Set a post Cor. to Sec. 20, 21, 28 & 29, from which
 a W. Ash 20 m. dia. bran N 34° E 16 lbs. dist. of
 a Hickory 15 " " " N 83° W 20 " "
 Land timber &c. same as on the last mile
-

East On Random between Sec. 21 & 28, T 4 N. R 2 E

- 40.00 Set temp. q. Sec. post
 45.00 a Pond 4 chains wide N & S.
 59.50 a slo 5 " " N & S.
 80.05 Intersected the N & S. line at the corner
 Land timber &c. same as on the last mile
-

West On true line between Sec. 21 & 28, T 4 N. R 2 E.

- 40.02 Set q. Sec. post at a pf. dist. on true line, from which
 a W. Oak 38 m. dia. bran S 67° E 33 lbs. dist. of
 a Sugar 6 " " " N 63° W 12 " "
 80.05 to Sec. Corner.
-

West Between Sec. 20 & 29, T 4 N. R 2 E.

- 18.59 Set a post on the River bank, from which
 a Red Cedar 8 m. dia. bran S 36° E 18 lbs. dist. of
 a W. Oak 18 " " " N 60° W 16 " "
-

St. N. RD E. I. Mer. Indiana

North Between Sec. 20 & 21, T⁴N, R²²E
 14.50 Set a post on the River bank from which
 a W. Oak 20 in. dia. bran N 63° 44' 13" Ls. dist. of
 an Ironwood 10 " " S 85° E 15 " "
 Land level.

West Between Between Sec. 16 & 21, T⁴N, R²²E.
 40.00 Set the q. Sec. post, from which
 a Beech 9 1/4 in. dia. bran S 65° W 22' Ls. dist. of
 a do 6 " " S 74° E 13 " "
 67.50 Set a post on the River bank, from which
 an Ironwood 8 in. dia. bran N 71° E 18' Ls. dist. of
 a Red Oak 10 " " S 22° E 29 " "
 Land the same, hilly, Beech, Poplar &c.

South Between Sec. 5 & 6, T⁴N, R²²E.
 40.00 Set the q. Sec. post, from which
 a Beech 8 in. dia. bran N 72° E 31' Ls. dist. of
 a Hickory 6 " " S 70° E 6 " "
 42.50 a Brook 10 Ls. wide Ct. East
 80.00 Set a post Cov. to Sec. 5, 6, 7 & 8, from which
 a Beech 8 in. dia. bran N 58° W 14' Ls. dist. of
 a do 8 " " S 55° E 21 " "
 Land hilly, timber, Beech, Poplar, Oak & Hickory

East On Random between Sec. 5 & 8, T⁴N, R²²E.
 40.00 Set tempy. q. Sec. post
 55.00 a Brook 50 Ls. wide Ct. South
 80.00 Intersected the N & S. brn 10 Ls. N. of the post.
 Land timber &c. Same as on the last mile

West On true line between Sec. 5 & 8, T⁴N, R²²E.
 40.00 Set q. Sec. post at a r. dist. on true line from which

183

S. N. R.R. E. I. Mar. Indiana

a W. Ash 8 in. dia. bran N 40 E 14th dist. of
a Cherry 10 " " S 61 E 9 " "
80.00 to Sec. corner.

West Between Sec. 6 & 7, S. N. R.R. E.

3.50 a Poplar 20 in. dia.

40.00 Set the q. Sec. post, from which
a Beech 5 in. dia. bran N 57 E 3th dist. of
an Ash 10 " " S 57 W 6 " "

70.55 Set a post on the N. boundary 39th S. of the Sec. Cor. from which
a Beech 18 in. dia. bran N 75 E 17th dist. of
a Do 18 " " S 36 W 14 " ".
Land timber &c. same as on the last mile

South Between Sec. 7 & 8, S. N. R.R. E.

40.00 Set the q. Sec. post, from which
a Beech 10 in. dia. bran N 24 E 13th dist. of
a Do 20 " " S 19 W 12 " "

47.80 a Brook 75th wide C. S. off.

80.00 Set a post, Cor. to Sec. 7, 8, 17 & 18, from which
a Beech 5 in. dia. bran N 2 W 12th dist. of
a Do 6 " " S 18 E 14 " "

Land, timber &c. same as on the last mile

East On Random between Sec. 8 & 17

40.00 Set tempy. q. Sec. post

80.45 Intersected the N & S. line 12th S. of the Cor.
Land timber &c. same as on the last mile.

West On true line between Sec. 8 & 17, S. N. R.R. E.

40.22^{1/2} Set q. Sec. post at av. dist. from which
a W. ash - in. dia. bran N 85 E 139th dist.

1824

West R.R.E. I. Mar. Indiana

80.45 to Sec. Corner.

West Between Sec. 7 & 18, 54 N. R.R.E.

14.00 a Sugar 18 in. dia.

40.00 Set the qt. Sec. post, from which
a Beech 6 in. dia. bran N 4 E 5 1/2 m. dist. of
a Do 8 " " N 5 8 1/2 " "

48.00 a Brook 75 lbs. wide C.L. South

69.11 Intersected the W. boundary 139 lbs. S. of post
Set a post Cor. to Sec. 7 & 18, from which
a Beech 10 in. dia. bran N 6 3 E 2 1/2 m. dist. of
a Do 20 " " S 6 3 1/2 " "

Land timber &c. same as on the last mile

South Between Sec. 17 & 18, 54 N. R.R.E.

18.20 a W. Ash 14 in. dia.

27.00 a Brook 75 lbs. wide C.L. S. off.

40.00 Set the qt. Sec. post, from which
a Sugar 12 in. dia. bran S 6 0 E 1 1/2 m. dist. of
a Do 10 " " S 6 9 1/2 " "

80.00 Set a post Cor. to Sec. 17, 18, 19 & 20, from which
a Beech 8 in. dia. bran N 15 1/2 W 10 1/2 m. dist. of
a Do 6 " " S 3 0 1/2 " "

Land, timber &c. same as on the last mile

East Between Sec. 17 & 20, 54 N. R.R.E.

28.25 Set a post on the River bank, from which
a W. Ash 20 in. dia. bran S 5 9 1/2 E 3 1/2 m. dist.
of a Lynn 24 " " S 7 7 E 17 " "

Land very hilly.

South Between Sec. 19 & 20, 54 N. R.R.E.

27.18 to a Beech 10 in. dia. corner on the River bank

185

110 N R.R. E. I. Mer. Indiana

Land timber &c. same as on the last mile

Dist Between Sec. 18 & 19, 14th R. R.R. E.

40.00 Set the qt. Sec. post, from which
a Beech 20 in. dia. bears N 38° W 18 ft. dist. of
a Do 6 " " " 160 W 18 "

68.64 Intersected the W. boundary 188 th. S. of corner
Set a post Cor. to Sec. 18 & 19, from which
a sugar 6 in. dia. bears S 74° W 23 ft. dist. of
a Do 10 " " " 180 E 38 "

Land timber &c. same as on the last mile

Meanders of the Left bank of White River
Commencing at a post on the Range line
between Range 2d 3 E. thence downstream.

149 W 3.00 in Sec. 24, 14th R. R.R. E.

160 W 5.50

170 W 10.00

186 W 3.50

199 W 8.50

211 W 6.00

210 W 7.00

Dist 4.50

252 W 4.00

236 W 11.50

218 W 8.50

262 W 6.50

285 W 3.50

283 W 5.50

270 W 2.50

254 W 5.50

222 W 1.76 to the line between Sec. 23 & 24

44 N - R.R. E. 2nd Mer. Indiana

N39W	3.00	in Sec. 23, 44 N. R.R.E.
N19W	7.00	
N5E	2.50	
N13E	4.50	
N29W	11.00	
N58W	7.72	
S53W	11.10	
S38W	4.40	
South	2.50	
S49W	7.50	
S64W	11.73	a Creek 100' or wide
S71W	3.87	
S70W	1.00	
West	14.75	
S65W	2.00	
West	4.25	
S70W	3.50	
S85W	3.76	
S53W	14.00	
S22W	5.64	to the line between Sec. 22 & 23

S22W	2.00	in Sec. 22, 44 N. R.R.E.
S52W	3.50	
S79W	3.00	
S72W	5.50	
S45W	5.30	
<u>S53W</u>	<u>1.37</u>	intersected Indian boundary line
N53W	1.00	
N23W	2.91	
N8W	4.50	
N12E	6.16	
N28E	3.27	
N48W	3.05	

181

Sec. R.R.E. 2ⁿ. Mer. Indiana

S 83 W	7.24
S 61 W	4.31
S 25 W	6.33
S 13 W	1.68
S 24 W	3.77
S 2 W	8.64
S 14 W	9.82
S 35 W	3.76

S 29 W 1.25 to the old Indian boundary line

There are some courses and distances wanting
to reach the line betwⁿ. Sec 22 & 27. S. M.

S 22 W	8.67	in Sec. 27, 4th R.R.E.
S 39 W	2.46	
S 25 W	15.00	
S 30 W	6.29	
S 15 W	3.27	
South	6.15	
S 11 W	10.76	
S 4 E	1.00	
S 12 W	2.30	
S 17 W	7.28	
S 29 W	2.82	
S 34 W	17.94	
S 57 W	0.59	to the line between Sec. 27 & 34

S 2 W	10.66	in Sec. 24, 4th R.R.E. June 3 rd 1809
S 8 E	6.45	
S 33 E	3.00	
S 13 E	7.00	
S 17 W	2.06	
S 27 W	6.02	
S 38 W	4.50	

44th R.R. E. T. Mer. Indiana

129 th	1.81	
156 th	4.21	to the line between Sec. 33 & 34

152 th	6.56	in Sec. 33, 44 th R.R. E.
165 th	3.70	
177 th	4.92	
166 th	3.70	
152 th	3.23	
139 th	1.50	
116 th	7.00	
16 th	8.29	a Creek 60 ft. wide
11 th	1.46	
111 th	4.95	
139 th	2.65	
170 th	0.94	to post in the S. boundary of the Township

		From post in S. boundary W. side of bend thence down stream.
N60 th	4.07	in Sec. 33, 44 th R.R. E. T. Mer.
N34 th	5.00	
N5 th	7.35	
N5 ^E	1.93	
N14 ^E	2.25	
N15 th	6.16	
N51 th	2.50	
N77 th	2.50	
187 th	1.86	
163 th	14.39	
154 th	5.61	
146 th	16.11	to a post in S. boundary

From post in the S. boundary West side
of bend, thence down stream.

189

H&R R.R. Mer. Indiana

N72W	4.35	in Sec. 32, H&R R.R.E.
N58W	19.20	
N35W	5.12	
N9W	8.33	
N10E	2.98	
N21E	6.42	
N30E	1.57	
N40E	8.45	
N52E	7.68	
N31E	3.46	
N7W	3.41	
N47W	10.52	
N30W	2.71	intersected the Old Indian boundary line. Surveyed June 4 th 1807

By William Harris, D.S.

Left Bank Continued, from corner
of Sec. 24 & 25, thence upstream
in Sec. 19, H&R R.R.E.

N87E	16.50	
N76E	9.25	
N57E	15.50	
N45E	18.50	
N41E	15.00	
N35E	14.00	
N43E	5.00	
N42E	7.50	to the line between Sec. 19 & 20

N48E	7.50	in Sec. 20, H&R R.R.E.
N62E	11.50	
N75E	7.00	
N71E	15.00	
N63E	14.50	
N87E	9.00	
S70E	10.50	

Sect. R.R. E. I. Mer. Indiana

S53 E	7.50
S36 E	8.50
S14 E	8.50
S3 E	11.00
S3 W	14.00
S15 W	6.00
S47 W	9.00
S57 W	22.50
S47 W	7.50
S44 W	4.72 to the line between Sect. 20 & 29

S44 W	5.00 in Sect. 29, Sect. N. 122 E.
S39 W	18.00
S27 W	7.50
S33 W	10.50
S20 W	12.00
S19 E	14.00
S23 E	17.00
S19 E	6.07 to the line between Sect. 29 & 32

S26 E	13.50 in Sect. 32, Sect. N. 122 E.
S39 E	8.00 to the corner on the old Indian boundary line, where Mr. Harris left off

Meander of the right bank of White River from post on the line between Range 142 E. - thence up stream.

N87 E	17.50 in Sect. 19, Sect. N. 122 E.
N65 E	15.50
N50 E	14.50
N39 E	30.50
N42 E	7.08 to line between Sect. 19 & 20

19

14 N. R.R. E. I. Mer. Indiana

N35E	7.00	in Sec. 20, 14 N. R.R. E.
N50E	8.50	
N58E	15.50	
N64E	5.08	to the line between Sec. 17 & 20

N77E	14.50	in Sec. 17, 14 N. R.R. E.
N66E	18.50	
N83E	11.00	
S74E	4.50	
S71E	6.04	to the line between Sec. 16 & 17

S60E	9.50	in Sec. 16, 14 N. R.R. E.
S43E	6.76	to the line between Sec. 16 & 21

S33E	13.00	in Sec. 21, 14 N. R.R. E.
S1E	18.50	
S12W	6.25	
S89W	20.00	
S53W	13.50	
S62W	4.41	to the line between Sec. 20 & 21

S58W	7.50	in Sec. 20, 14 N. R.R. E.
S52W	9.00	
S46W	7.06	to the line between Sec. 20 & 21

S42W	13.50	in Sec. 29, 14 N. R.R. E.
S35W	25.00	
S11W	10.00	
S15E	9.50	
S23E	10.50	
S18E	11.50	
S23E	4.50	
S26E	5.90	to the line between Sec. 29 & 30.

192

L4 N R2 E. Drd. Mer. Indiana

S33E 14.50	in Sec. 33, L4 N. R2 E.
S43E 10.50	a Brook 8 hrs. wide
S25E 11.00	
S40W 6.00	
S56W 11.00	
S34W 13.00	
S30E 11.00	
S53E 4.75	
S59E 10.25	
East 6.50	
N69E 6.50	to the line between Sec. 32 & 33.

N54E 23.50	in Sec. 33, L4 N. R2 E. D rd . Mer.
N65E 9.00	
N55E 3.50	
N70E 12.00	
S73E 6.00	
S29E 8.00	
S7E 18.50	
S87E 4.50	
N21E 4.00	
N4W 7.00	
N7E 11.00	
N36E 9.00	
N70E 15.17	to the line between Sec. 33 & 34

N44E 15.00	in Sec. 34, L4 N. R2 E.
N7W 9.00	
N13W 11.25	
N19W 5.16	to the line between Sec. 27 & 34

N5E 8.50	in Sec. 27, L4 N. R2 E.
N30E 28.50	

Contra?

193 ~~xx~~

1/4 N - R2 E. 2^d Mer. Indiana

N5E	16.50	
N15E	6.50	
N25E	13.00	
N29E	13.00	
N24E	0.85	to the line between Sec. 22 & 27

N24E	17.40	in Sec. 22, 1/4 N. R2 E.
N3W	7.50	
N14E	10.00	
N32E	10.50	
N70E	8.50	
S79E	9.75	
S34E	15.00	
S68E	4.40	line between Sec. 22 & 23

N44E	17.50	in Sec. 23, 1/4 N. R2 E.
N86E	3.50	a Brook 38 ltrs. wide
N86E	36.50	
N48E	9.50	
N44E	12.50	
N70E	7.00	
S80E	7.50	to the line between Sec. 23 & 24

S64E	4.75	in Sec. 24, 1/4 N. R2 E.
S29E	6.50	
S3E	5.50	
S10E	5.50	a brook 20 ltrs. wide
S10E	2.00	
S35E	15.00	
N45E	5.50	
N30E	14.00	
N51E	6.00	
N71E	7.50	

194

44 T R2 E2nd Mer. Indiana

S 79 E	25.00
N 80 E	7.00
N 59 E	7.00
N 51 E	4.70

to post in the E. boundary 44 T. R2 E.
Surveyed in 1810 by Arthur Annie, D.S.

Compr?

I certify that the foregoing transcript of field notes
of Township N. 44 S. Range N. 2 E. 2nd Mer.
Indiana, has been compared with original
notes in this office, and found to be correct.
Surveyor General's Office
Cincinnati, Feb. 18. 1841 C. S. Geiger
Sur. Gen.